### Cool Roof Requirements

# California's Title 24 Energy Efficiency Standards for Nonresidential Buildings (2005)

#### **Roofing Contractor Training**

#### **Cool Roof Training Collaborative**

California Energy Commission, California Roofing Contractors, California Building Officials (CALBO), Pacific Gas & Electric Co., Southern California Edison, and Sempra Utilities

### Brief Background - Title 24, Part 6

(California Building Energy Efficiency Standards)

- California energy standards began 1978
- Updated every 3 years
- Standards address:
  - Building Envelope: Insulation, windows, roofing
  - Lighting: Electric lighting allowances
  - HVAC: Equipment standards, duct leakage, etc.
- First cool roofing regulations took effect on October 1, 2005; amended for roof coatings September 11, 2006

### How Cool is a Cool Roof? (Part 1)

### Sacramento, Noonish, July 12, 2000, 89°F

**EPDM single-ply Surface 173°F** 

BUR topped with aggregate 159°F

BUR topped with capsheet 158 °F







Courtesy Dan Varvais

### How Cool is a Cool Roof? (Part 2)

### Sacramento, Noonish, July 12, 2000, 89°F












# Why Does Roof Surface Temperature Matter?

- Hotter roof drives heat into the building, increasing need for air conditioning
- Air conditioning is electricity-intensive
- Demand for electricity
  - stresses the statewide electric power grid(possible power outages)
  - costs building owners money

# How Does Title 24 Energy Code Work?

- Sets an energy budget for <u>NEW</u> buildings <u>AND</u> additions & alterations (includes **re-roofing**)
  - Budget is in units of energy NOT \$\$:
     kBtu per square foot per year
  - Budget varies by climate zone (16 climate zones in California)

### California's 16 Climate Zones



Cool Roof Regulations Apply to ALL Climate Zones

## How Does Title 24 Energy Code Work? Meeting the Energy Budget

- Design the building or addition/alteration with appropriate energy efficiency features
- Submit documentation to building department with permit application
- Construct the building/addition/alteration with those features

Building Inspectors are the enforcers for Title 24 energy measures (not a perfect system, yet)

# How Does Title 24 Energy Code Work? (cont'd)

For NEW construction, builders must show energy compliance by either - -

 Following Title 24 prescriptive requirements for building envelope, lighting & HVAC (our list of minimum requirements)

or

 Running computer simulation showing that building performance exceeds that of an identical building with the prescriptive measures – more flexible

# How Does Title 24 Energy Code Work? (cont'd)

For reroofing, contractors must show energy compliance by either - -

 Following Title 24 prescriptive requirements for cool roofs

or

Installing noncool roof plus roof insulation

### **Construction Team Roles**

| Team Member                                  | Role  |  |  |
|--|---|--|--|
| Owner  | <b>P</b> rovide code-compliant building (even if permit is not required.)                                   |  |  |
| Owner's Architect or Construction<br>Manager | Project coordination including building permits   |  |  |
| Permitting Agency                            | <b>A</b> ssurance that all plans comply with the California Code of<br>Regulations                          |  |  |
| Energy Consultant                            | Handle all Title 24 calculations and documentation  |  |  |
| Roofing Products Manufacturers               | If providing a product to meet Title 24 standards, test with supervisory entity (CRRC) and affix CRRC label |  |  |
| Roofing Contractor                           | Comply with Title 24 standards. If permit is required, furnish documentation to Building Department         |  |  |

California building standards are regulations required by law – permit or not.

# What Are the Cool Roof Regulations? (part 1)

- Cool roofs are <u>NOT</u> mandatory
  - They are a part of the list or "prescription" of minimum levels of energy efficiency

 These prescriptive energy measures help set the building's energy budget

# What Are the Cool Roof Regulations? (part 2)

Cool roofs are <u>NOT</u> mandatory
 Which means....

If you don't put on a cool roof, you must find energy savings elsewhere to meet the energy budget

- When reroofing, this means
  - install a fully compliant cool roof OR
  - install a non-cool roof & roof insulation
    - > ARMA has developed a calculator to determine insulation R-value needed (later in this presentation)

# What Are the Cool Roof Regulations? (part 3) – Building Types

- Current (2005) cool roof regulations apply when all of the following occur:
  - Nonresidential building
  - Conditioned building (air conditioned or heated or both)
  - Roofing is low slope (≤ 2:12)
- There are some exemptions:
  - Type "I" Occupancies: Health care facilities, prisons
  - Federal Buildings
- See California Energy Commission's "Blueprint" #83 for details – your handout or on Internet www.energy.ca.gov/efficiency/blueprint

### Where Are Cool Roofs Optional?

#### Cool Roofs Are <u>Optional</u> (NOT prescriptive, NOT mandatory) for:

- Hotels and motels
- ALL residential buildings (including high-rise apartments/condos)
- Unconditioned buildings (see examples of partially conditioned or heated on later slide)
- Refrigerated warehouses, other spaces held under 55°F, and spaces held over 90°F
- Buildings cooled by evaporative coolers/swamp coolers and not heated
- Roofs with slopes over 2:12

## What Criteria Do the Energy Standards Set for Cool Roofs?


#### Roof materials must - -

- Meet criteria for minimum levels of reflectance and emittance
- 2. Be **tested & rated** through an objective third party, the Cool Roof Rating Council (CRRC)
- Be properly labeled
- 4. Coatings liquid-applied in the field must meet ASTM test requirements and be of proper coverage/dry mil thickness

# Criteria 1: Reflectance & Emittance

1. Meet energy efficient criteria: minimum levels of *reflectance* and *emittance* 

[Title 24, Part 6, §118(i)3]




Reflectance: sun's energy (heat) bouncing

off roof surface

### What Is Emittance?

- •Not <u>ALL</u> of sun's energy striking roof, bounces off; some is absorbed.
- •Absorbed energy is given off emitted at different rates by different materials.
- "Emittance" is a measure of how quickly or efficiently the absorbed energy is given off.



Important: because heat emitted slowly has time to penetrate downward into the building; it is undesirable in most CA climate zones; it increases air conditioning



## Prescriptive Requirements for Reflectance and Emittance

- Initial Reflectance at least 0.70
- Initial Emittance at least 0.75
- Roof materials with values less than these can be used to meet the energy budget <u>but</u> –
  - you must find energy savings equivalence via insulation or other measures

# Examples of Reflectance and Emittance



#### White coating over BUR

Reflectance: .70 to .91

Emittance: .85 to .92



#### **Black single-ply**

Reflectance: .06 to .12

Emittance: .82 to .87

# More Examples of Reflectance and Emittance

### **Aluminum Coatings**

Reflectance: .61 to .74

• Emittance: .33 to .50

Metals (metal coatings and uncoated metal roofs) are LOW emitters

## Criteria 2: Third Party Rating of Roof Materials

 Materials are rated for reflectance and emittance through Cool Roof Rating Council Rated Products Directory, www.coolroofs.org

 Aged data (three-year data) are ignored for now. Reflectance degradation is assumed, with no washing of roofs.

## Excerpt from CRRC Rated Product Directory (www.coolroofs.org)

 CRRC Rated Products Directory is updated at least monthly

### **TAKE NOTE!**

- Not all CRRC-rated materials comply with the Title 24 prescriptive requirements
- You can use CRRC-rated materials that don't meet the prescriptive requirements, but you must reach energy savings equivalence using insulation or other measures
- Energy Star products <u>do not automatically</u> qualify.
   Use the CRRC Rated Products Directory.

## Criteria 3: Product Must Be Labeled

Manufacturer obtains labeling rights only through license agreement w/CRRC. SAMPLE LABEL:



|                   | <u> mittai</u> | <u>vvcatifered</u> |
|-------------------|----------------|--------------------|
| Solar Reflectance | 0.82           | <b>Pending</b>     |
| Thermal Emittance | 0.89           | Pending            |

Initial

Weathered

Rated Product ID Number XXXXX

Licensed Seller ID Number XXXXX

Classification Production Line

Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary.

Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.

# Criteria 4: Liquid Coatings (2006 Changes)

### New requirements effective Sept. 11, 2006:

- Apply all coatings at thickness or coverage recommended by manufacturer for each surface type
- Meet Table 118-C or ASTM C836, D3468,D6083, and/or D6694 as appropriate
- Cement-based coatings to meet ASTM D822
   AND C1583 and D5870
- Adds ASTM D522, Test B, to Table 118-C as alternative to elongation & tensile testing at 0°F

# Specifics for Nonresidential Reroofing

- Prescriptive (not mandatory)
- If >50% or >2,000 sf of low-sloped roof, whichever is less, is being replaced, recovered, or recoated, cool roof regulations kick in [§ 149(b)1B] (SEE next slide)
  - Install a cool roof that meets prescriptive OR
  - Install a roof that does not meet prescriptive plus install roof insulation
    - This is how a garden roof or BIPV\* roof can be installed when re-roofing

<sup>\*</sup>BIPV = Building-integrated photovoltaics (solar electric pv modules become the roof)

# Reroofing Example 1 - 50% or 2,000 Square Feet (Whichever Is Less)

### **Example 1**

- Total Roof Area = 44 sqs.
- Reroofing 21 squares.

This is less than 50% but more than 2,000 sq.ft., so <u>cool roof</u> requirements apply.

# Reroofing Example 2 - 50% or 2,000 Square Feet (Whichever Is Less)

#### **Example 2**

- Total Roof Area = 37 sqs.
- Reroofing 19 sqs.

This is less than 2,000 sf but over 50%, so cool roof requirements apply.

# Reroofing Example 3 - 50% or 2,000 Square Feet (Whichever Is Less)

#### **Example 3**

- Total Roof Area = 33 sqs.
- Reroofing 16 sqs.

Reroofing less than 50% and less than 20 squares, so cool roof is not required.


## Reroofing Example 4 – Unconditioned Warehouse Containing Office

- Unconditioned Warehouse Containing Conditioned Office Space
  - Cool Roof Regulations Apply? Consider two cases...

## Case 1. Conditioned Space's Walls Don't Go All the Way to Warehouse Roof



## Case 2 – Walls of Conditioned Space Reach Warehouse Roof



Cool Roof requirements apply
OVER THE CONDITIONED SPACE(S) ONLY

not over the entire warehouse roof

### **New Construction: "Partly" Cool Roofs**


- Roofing materials not meeting the prescriptive requirements for 0.70 reflectance and 0.75 emittance can get "partial" energy credit
  - Must use approved computer software to model the building's energy performance


#### OR

 Must use prescriptive "overall envelope approach" (allows trade-offs among components of the building envelope) – ARMA calculator to determine R-value if use roof insulation

### Other Roof Situations - Barrel, Sawtooth

Roof slope area ≤ 2:12 must meet Title 24





## Other Roof Situations - Mixed Use Buildings

- Mixed Residential and Nonresidential Occupancies. Any nonresidential conditioned space with a low-sloped roof must observe the cool roof regulations, even if mixed in with residential, except:
  - Minor Occupancy. If an occupancy type occupies less than 10% of the total conditioned floor area, then it may optionally be treated as if it were of the major occupancy.


#### Insulation Tradeoff Calculator

Example #1 - CRRC listed, complies with Emittance NOT Reflectance

| Prescriptiv                        | /e Criteria 1  | or Non-Re                     | sidentia                      | l Reroot            | f Constr                                    | uction                                      |          | Reflectance          | e Calculator  |
|------------------------------------|----------------|-------------------------------|-------------------------------|---------------------|---|---|----------|----------------------|---|
| Enter Climate Zo<br>the Red box fr |                | Enter B ·<br>Number I<br>fron |                               | value of insulation | existing                                    |   |          | emittance            | r products with<br>less than 0.75<br>nal value only.) |
| 1                                  |                | 2                             |                               | 3                   |   | 4   |          | 4a                   | 4b  |
| Climate Zone (E                    | nter No. 1-16) |                               | ng Mass<br>No. 1-3)           | Existing<br>R-Value | Reflectance<br>Standard (ρ <sub>std</sub> ) | Reflectance<br>Proposed (ρ <sub>pro</sub> ) |          | Solar<br>Relfectance | Infrared<br>Emittance                                 |
| 12                                 |                |                               | 1                             | 11.0                | 0.70  | 0.25  |          |                      |   |
| able 1                             |                | Table 2                       |                               |                     |   |   |          |                      |   |
| Climate Zone<br>Number             | Example City   |                               | Building Mass                 | Heat<br>Capacity    |   |   |          | 4c<br>Calcula        | ted ρ <sub>prop</sub>                                 |
| 1                                  | Arcata         | 1                             | Light                         | HC <7               |   |   |          |                      |   |
| 2                                  | Santa Rosa     | 2                             | Medium                        | HC ≥7 & <15         |   |   |          | #VA                  | LUE!  |
| 3                                  | Oakland        | 3                             | Heavy                         | HC >15              |   |   |          |                      |   |
| 4                                  | Sunnyvale      |                               |                               |                     |   |   |          |                      |   |
| 5                                  | Santa Maria    |                               |                               |                     |   |   |          |                      |   |
| 6                                  | Los Angeles    |                               |                               |                     |   |   |          |                      |   |
| 7                                  | San Diego      |                               |                               |                     |   |   |          |                      |   |
| 8                                  | El Toro        |                               | Temperature                   | Solat Factor        | Weighting                                   |   | 5        | _ \                  |   |
| 9                                  | Burbank        | U <sub>s res</sub>            | Factor (TF)                   | (SF)                | Factor (WF)                                 |   | $\Gamma$ | Results              |   |
| 10                                 | Riverside      | 0.000000001                   | 46                            | 126                 | 9,92  | · ·   |          |                      |   |
| 11                                 | Red Bluff      |                               |                               |                     |   |   |          |                      |   |
| 12                                 | Sacremento     | ·                             |                               |                     |   |   |          |                      |   |
| 13                                 | Fresno         |                               | tol (I-Factor <sub>pere</sub> |                     |   |   | Existing | Trade-Off            | Additional  |
| 14                                 | China Lake     | 8,86                          | 6077                          |                     |   |   | R-Value  | R-Value              | R-Value   |
| 15                                 | El Centro      |                               |                               |                     |   |   | 11.0     | 15.1                 | 11  |
| 16                                 | Mt. Shasta     |                               |                               |                     |   |   | 11.0     | 15.1                 | 4.1   |

#### Insulation Tradeoff Calculator - Example #2


CRRC listed - does NOT comply with Emittance or Reflectance



# Roof Materials Not CRRC Tested and Rated


- Materials not tested & rated through CRRC are assigned a default value for reflectance – it is LOW, only 0.10
- You can use materials not rated by CRRC but you must meet the energy budget under the Title 24 Energy Standards' performance compliance method.

## Insulation Tradeoff Calculator Example #3 – NOT CRRC listed – Product defaults to 0.10




www.asphaltroofing.org/title24\_reroof.html

## Reroofing & Roof Insulation Guidelines Case Study 1



# Reroofing & Roof Insulation Guidelines Case Study 2



### Ways to Comply (Cool Roof Options)

| Roofs come as                               | Cool Option<br>#1                   | Cool Option<br>#2                                 | 'Partly' Cool or<br>Noncool roofs                                |
|---|-------------------------------------|---|--|
| BUR (Including<br>Smooth, Gravel<br>or Cap) | Select manufactured product meeting | Over non-<br>compliant or<br>non-rated<br>system: | May or may not be CRRC listed. Use Prescriptive Overall Envelope |
| Modified Bitumen                            | 0.70<br>Reflectance                 | Select Coating from CRRC list                     | (tradeoff) Approach  |
| Single Ply                                  | 0.75 Emittance (see CRRC            | that meets<br>0.70 Reflectance                    | Or   |
| Coated Metal (nonmetal coat)                | rated product directory)            | 0.75 Emittance and meets                          | Computer Software  |
| Spray Foam                                  | J 20101.J/                          | physical  | (Performance)  |
| Uncoated Metal or metallic coating          | N/A                                 | property requirements                             | Method   |

#### A Word on Fire Ratings

- Title 24 Energy Standards only address energy savings, not other code requirements.
- Architect, Contractor, Consultant etc. is still required to:
  - Meet requirements of the Energy Standards
     AND
  - Select system that meets code-required fire ratings

# T24 Forms for Reroofing to Accompany Permit Application

At time of design for reroofing include Certificate of Compliance on drawings.

- Form ENV-1 part 1 & 2
- At time of submission for permit include:
  - Form ENV-2 part 1 & 2 Material Compliance OR
  - ENV-3 part 5 Overall Envelope Method
- See Nonresidential Compliance Manual Appendix A for details <u>www. energy.ca.gov/title24/2005standards/ nonresidential\_manual.html</u>

#### **NOTES:**

- Check with building dept for requirements
- T24 FORMS ARE BEING UPDATED AND SIMPLIFIED

| ENVELOPE COMPONENT  | MET            | HOD                | (Part                          | 2 of 2)                                | ENV-2-C              |
|---|----------------|--------------------|--------------------------------|--|----------------------|
| PROJECT NAME  |                | -                  | DATE                           |  |                      |
| COOL ROOFS - LOW-SLOPED - See Section 3.4 in description about exterior roofs and mandatory requirem                              |                | 0 17               | 43(a)1 in the                  | Energy Standa                          | rds for further      |
| ✓ CHECK APPLICABLE BOXES  |                |                    |                                |  |                      |
| Option 1- Tested - Initial Thermal Emittance ≥ 0.   | 75 and Intia   | l Solar Reflectan  | ce ≥ 0.70                      |  |                      |
| Proposed emittence and reflectance must be ≥ the<br>standard when tested with CRRC-1.   | Proposed       | l Standard         |                                |  |                      |
| 1. Enter proposed initial thermal emittance $\epsilon_{ m initial}$   | 0.86           | ≥ 0.75             | If proposed                    | ≥ to the Standa                        | rd then it complies. |
| 2. Enter the proposed initial solar reflectance, ρ <sub>initial</sub>   | 0.70           | ≥ 0.70             | If proposed                    | l≥ to the Standa                       | rd then it complies. |
| When applying Liquid Field Applied Coatings, the centire roof surface and meet minimum performance requ                           | iirements list |                    |                                |  |                      |
| Aluminum-Pigmented Asphalt  | ☐ Othe         | r                  |                                |  |                      |
| Dption 2 - CRRC-1 Tested - Initial Thermal Emitt  | ance < 0.75    |                    |                                |  |                      |
| Proposed initial thermal emittance < 0.75 when tested with CRRC-1.  | Proposed       | Standa             | ırd                            |  |                      |
| 1. Enter proposed initial thermal emittance, $\epsilon_{	ext{initial}}$   |                | < 0.75             | 5                              | Go to line 2. Inst<br>value in calcula |                      |
| 2. Enter the initial solar reflectance, $ ho_{	ext{initial}}$   |                | 0.70 + [0.34 X (0  | ).75 - ε <sub>initial</sub> )] | Standard<br>P <sub>initial</sub> =     |                      |
| <ol> <li>To apply Liquid Field Applied Coatings, the coating<br/>roof surface and meet minimum performance requirement</li> </ol> |                | plied with a minim | um dry mil th                  | nickness of 20 m                       |                      |
| Auminum-Pigmented Asphalt Cement-Based Roof Coating Roof Coating  | ☐ Other        |                    |                                |  |                      |
| ✓ ☑ CRRC-1 Label Attached to Submittal (Note if no CRRC-1 label is available, this comp   | liance met     | thod can not be    | e used).                       |  |                      |

| <b>ENVELOPE COMPONENT</b>  | METH          | IOD               | (Part 2                       | 2 of 2)                                   | ENV-2-C                                     |
|--|---------------|-------------------|-------------------------------|---|---|
| PROJECT NAME   |               |                   | DATE                          |   |   |
| COOL ROOFS - LOW-SLOPED - See Section 3.4 in t description about exterior roofs and mandatory requirem                             |               |                   | 13(a)1 in the                 | Energy Sta                                | ndards for further                          |
| ✓ CHECK APPLICABLE BOXES   |               |                   |                               |   |   |
| ☐ Option 1- Tested - Initial Thermal Emittance ≥ 0.7   | 75 and intial | Solar Reflectan   | ce ≥ 0.70                     |   |   |
| Proposed emittance and reflectance must be ≥ the standard when tested with CRRC-1.   | Proposed      | Standard          |                               |   |   |
| 1. Enter proposed initial thermal emittance, $\epsilon_{	ext{initial}}$  |               | ≥ 0.75            | If proposed                   | ≥ to the Sta                              | ndard then it complies.                     |
| 2. Enter the proposed initial solar reflectance, $ ho_{initial}$   |               | ≥ 0.70            | If proposed                   | ≥ to the Sta                              | ndard then it complies.                     |
| <ol> <li>When applying Liquid Field Applied Coatings, the coefficient of surface and meet minimum performance required.</li> </ol> |               |                   |                               |   |   |
| Aluminum-Pigmented Asphalt Cement-Based Roof Coating   | ☐ Other       |                   |                               |   |   |
| Option 2 CRRC-1 Tested - Initial Thermal Emitt   | ance < 0.75   |                   |                               |   |   |
| Proposed initial hermal emittance < 0.75 when tested with CRRC-1.  | Proposed      | Standa            | rd                            |   |   |
| 1. Enter proposed initial thermal emittance, $\epsilon_{	ext{initial}}$  | 0.40          | < 0.75            | 5                             | Go to line 2<br>value in cal              | . Insert ε <sub>initial</sub><br>Iculation. |
| 2. Enter the initial solar reflectance, ρ <sub>initial</sub>   |               | 0.70 + [0.34 X (0 | .75 - ε <sub>initial</sub> )] | Standard<br>P <sub>initial</sub> = 0 . 82 | 2   |
| <ol> <li>To apply Liquid Field Applied Coatings, the coating<br/>roof surface and meet minimum performance requirement</li> </ol>  | must be app   | lied with a minim | um dry mil th                 | nickness of 2                             | 20 mils across the entire                   |
| ☐ Aluminum-Pigmented Asphalt ☐ Cement-Based Roof Coating Roof Coating  | Other_        |                   |                               |   |   |
| ✓ ☑ CRRC-1 Label Attached to Submittal<br>(Note if no CRRC-1 label is available, this comp   | liance met    | hod can not be    | e used).                      |   |   |

### Example 3: CRRC Rated Product with Successful Insulation Trade-Off to Gain Compliance

| OVERALL EN   | VΕL                   | OPE                   | MET         | HOD   | )          | (Part                                     | 5 of 7)        |            | ΕN      | V-3-C                 |  |  |
|--|-----------------------|-----------------------|-------------|---|------------|---|----------------|------------|---------|-----------------------|--|--|
| PROJECT NAME   |                       |                       |             |   |            |   |                | DATE       |         |                       |  |  |
| ROOF ABSORPTANCE CALCU   | JLATION               | : Use this            | table to de | termine   | the val    | ue of the absor                           | ptance for     | the prop   | osed de | sign,α <sub>ετα</sub> |  |  |
| CHECK APPLICABLE BOXES   |                       |                       |             |   |            |   |                |            |         |                       |  |  |
| Case 1 - Proposed  |                       |                       |             | YES NO  |            |   |                |            |         |                       |  |  |
| 1. CRRC-1 Certified?   |                       |                       |             | X Go to 2. Go to 8.   |            |   |                |            |         |                       |  |  |
| 2. Is the thermal emittance ≥ 0  | .75?                  |                       |             | Got   | o 3.       | X 6 to 5.                                 |                |            |         |                       |  |  |
| <ol><li>Enter the initial reflectance;</li></ol>                         | ank value             | 9                     |             | PRiprop 1   | =          | Go to 4. Insert value in calculation.     |                |            |         |                       |  |  |
| <ol> <li>Calculate α<sub>ριορ</sub> = 0.94-0.7 ρει</li> </ol>            | Lprop                 |                       |             | α <sub>prop</sub> =   |            | Enter calculated value in Column F below. |                |            |         |                       |  |  |
| Case 2 - CRRC-1 Tested   |                       |                       |             |   |            | •   |                |            |         |                       |  |  |
| 5.Enter initial reflectance & em   | nittance v            | values from           | CRRC-1      | ρ <sub>init</sub> =   | <b>-68</b> | Go to 6. Insert values in calculation     |                |            |         |                       |  |  |
| <ol> <li>Calculate ρ<sub>Ri,prop</sub> = -0.448 +</li> </ol>             | 1.121 g               | ± + 0.524 ε           | nit         | PRi.prop®   |            | Go to 7. Inse                             | rt value in ca | alculation |         |                       |  |  |
| <ol> <li>Calculate α<sub>prop</sub> = 0.94-0.7 ρ<sub>R</sub>;</li> </ol> |                       |                       |             | α <sub>erep</sub> =   | .58        | Enter calculat                            | ed value in (  | Column F   | below.  |                       |  |  |
| Case 3 - Not CRRC-1 Tested   |                       |                       |             | YES   |            | NO  |                |            |         |                       |  |  |
| B. Is the roof a nonresidential I  | low-slop              | ed? (2:12 o           | r less)     | Got   | o 9.       | . Go to 10.                               |                |            |         |                       |  |  |
| 9. Use the default values for al   | baorptar              | 109, α <sub>emo</sub> |             | α <sub>prop</sub> = 0.87 Enter default value in Column F below. |            |   |                |            |         |                       |  |  |
| 10. Use the default values for a   |                       |                       |             | $\alpha_{prop} = 0$   |            | Enter default value in Column F below.    |                |            |         |                       |  |  |
|  |                       | , пор                 |             | эргэр   |            | <b>→</b>                                  |                |            |         |                       |  |  |
| Standard absorptance value   | sα <sub>std.</sub> fo | or Column             | J are eithe | er.   |            |   |                |            |         |                       |  |  |
| For nonresidential low-sloped  | roofs                 |                       |             | $\alpha_{\text{std}} = 0$                                       | .45        | Enter standar                             | d value in C   | olumn Fb   | below.  |                       |  |  |
| For nonresidential high-sloped   | roofs                 |                       |             | $\alpha_{\text{std}} = 0$                                       |            | Enter standard value in Column F below.   |                |            |         |                       |  |  |
|  |                       |                       |             |   |            | -   |                |            |         |                       |  |  |
|  |                       |                       |             |   |            |   |                |            |         |                       |  |  |
|  |                       |                       |             |   |            |   |                |            |         |                       |  |  |
|  |                       |                       |             |   |            |   |                |            |         |                       |  |  |
| OVERALL HEAT GAIN FROM RA  | ADIATION              | N                     |             | O   | PAQUES     | URFACES                                   |                |            |         |                       |  |  |
| Α  | В                     | С                     | D           | Е   | F          | G   | Н              | - 1        | J       | K                     |  |  |
|  |                       |                       | PRO         | POSED   |            |   | 1              | STAN       | IDARD   | <u> </u>              |  |  |
| ASSEMBLYNAME   |                       | SOLAR                 | WEIGHT      | U-  | Absorp     | HEAT GAIN                                 | AREA           | U-         | Absorp  | HEAT GAIN             |  |  |
| (e.a. Boof-1)  | AREA                  | EACTOR                | EACTOR      | EACTOR  | ~          | (ByCyDyEyE)                               | (Adjusted)     | EACTOR     | ~       | AC V DVHIVLY II       |  |  |

2000 126

Roof-1

0.84 .025 87 4604.04 2000 057 45

### Example 3: CRRC Rated Product with Successful Insulation Trade-Off to Gain Compliance

| B<br>AREA | C                            | — Prop |        | F              | G           | н          |                  |                         | K                              |
|-----------|------------------------------|--------|--------|----------------|-------------|------------|------------------|-------------------------|--------------------------------|
| AREA      | SOLAR                        | A 1 Ob | INSEN  | ) <del> </del> | •           |            | <b>Stan</b>      | dard                    |                                |
| AREA      | Seed Transference To Bull 16 | WEIGHT | U+     | Absorp         | HEAT GAIN   | AREA       | U-               | Absorp                  | HEAT GAIN                      |
|           | FACTOR                       | FACTOR | FACTOR | α              | (BxCxDxExF) | (Adjusted) | FACTOR           | α                       | (CxDxHxlxJ                     |
| 2000      |                              | 0.84   | .037   | .58            | 4542.65     | 2000       | .051             | .45                     | 4858.06                        |
|           |                              |        |        |                |             |            |                  |                         |                                |
|           |                              |        |        |                |             |            |                  |                         |                                |
|           |                              |        |        |                |             |            |                  |                         |                                |
|           |                              |        |        |                |             |            |                  |                         | 4858.06                        |
|           |                              |        |        |                |             | T3T2.03    | "Subtotal" in Ci | "Subtotal" in COLUMNS I | Subtotal in COLDMINS and M. I. |

## Example 4: No Insulation Added to non-CRRC Rated Roof Does Not Comply

| OVERALL EI  | NVEL                  | OPE                     | MET              | HOD   | )       | (Part s                              |                    | ΕN                    | IV-3-C    |                          |  |  |  |
|---|-----------------------|-------------------------|------------------|---|---------|--------------------------------------|--------------------|-----------------------|-----------|--------------------------|--|--|--|
| PROJECT NAME  |                       |                         |                  |   |         |                                      |                    | DATE                  |           |                          |  |  |  |
| ROOF ABSORPTANCE CAL  | CULATION              | : Use this              | table to de      | etermine  | the val | ue of the absor                      | ptance for t       | he prop               | osed de   | esign, α <sub>ρταρ</sub> |  |  |  |
| CHECK APPLICABLE BOXES  |                       |                         |                  |   |         |                                      |                    |                       |           |                          |  |  |  |
| Case 1 - Proposed   |                       |                         |                  | YES   |         | NO                                   |                    |                       |           |                          |  |  |  |
| 1. CRRC-1 Certified?  |                       |                         |                  | Got   | to 2.   | Go t                                 | 08.                |                       |           |                          |  |  |  |
| <ol><li>Is the thermal emittance ≥</li></ol>                          | 0.75?                 |                         |                  | Got   | to 3.   | Go t                                 | 0 5.               |                       |           |                          |  |  |  |
| <ol><li>Enter the initial reflectance</li></ol>                       | ρ <sub>ek</sub> value | à                       |                  | PRiprop 1   | =       | Go to 4. Inse                        | rt value in ca     | alculation            | -         |                          |  |  |  |
| <ol> <li>Calculate α<sub>prop</sub> = 0.94-0.7<sub>β</sub></li> </ol> | Riprop                |                         |                  | α <sub>prop</sub> =   |         | Enter calculat                       | ed value in (      | Column F              | below.    |                          |  |  |  |
| Case 2 - CRRC-1 Tested  |                       |                         |                  |   |         |                                      |                    |                       |           |                          |  |  |  |
| 5.Enter initial reflectance & e                                       | mittance              | /alues from             | CRRC-1           | ρ <sub>nit</sub> =  |         | Einit =                              |                    | to 6. Inse<br>ulation | ert value | es in                    |  |  |  |
| <ol> <li>Calculate ρ<sub>Ri,prop</sub> = -0.448</li> </ol>            | + 1.121 p             | ± +0.524 ε              | int              | PRi,prop <sup>™</sup>   | =       | Go to 7. Insert value in calculation |                    |                       |           |                          |  |  |  |
| 7. Calculate α <sub>prop</sub> = 0.94-0.7 <sub>6</sub>                | Rioma                 |                         |                  | α <sub>cres</sub> =   |         | Enter calculat                       | ed value in (      | Column F              | below.    |                          |  |  |  |
| Case 3 - Not CRRC-1 Teste   |                       |                         |                  | YES   |         | NO                                   |                    |                       |           |                          |  |  |  |
| <ol><li>Is the roof a nonresidentia</li></ol>                         | l low-slop            | ed? (2:12 o             | r less)          | X Got   | to 9.   | Go t                                 | o 10.              |                       |           |                          |  |  |  |
| 9. Use the default values for   | absorptar             | ICO, α <sub>prop</sub>  |                  | α <sub>prop</sub> = 0.87 Enter default value in Column F below. |         |                                      |                    |                       |           |                          |  |  |  |
| 10. Use the default values fo   | r absorpts            | ince, α <sub>prop</sub> |                  | α <sub>prop</sub> = 0.73 Enter default value in Column F below. |         |                                      |                    |                       |           |                          |  |  |  |
|   |                       |                         |                  |   |         | <del>-</del>                         |                    |                       |           |                          |  |  |  |
| Standard absorptance valu   |                       | or Column               | J are eithe      | er  |         |                                      |                    |                       |           |                          |  |  |  |
| For nonresidential low-slope  |                       |                         |                  | α <sub>std</sub> = 0.45 Enter standard value in Column F below. |         |                                      |                    |                       |           |                          |  |  |  |
| For nonresidential high-slope   | d roofs               |                         |                  | $\alpha_{\text{std}} = 0.$                                      | .73     | Enter standard                       | d value in Co      | olumn Ft              | oelow.    |                          |  |  |  |
|   |                       |                         |                  |   |         |                                      |                    |                       |           |                          |  |  |  |
|   |                       |                         |                  |   |         |                                      |                    |                       |           |                          |  |  |  |
|   |                       |                         |                  |   |         |                                      |                    |                       |           |                          |  |  |  |
| OVERALL HEAT GAIN FROM I  | RADIATION             |                         |                  | . 4   | AQUES   | URFACES                              |                    |                       |           |                          |  |  |  |
| A   | В                     | С                       | D                | E   | F       | G                                    | н                  | ı                     | J         | K                        |  |  |  |
|   | $\blacksquare$        |                         |                  | POSED   |         |                                      |                    |                       | IDARD     |                          |  |  |  |
| ASSEMBLY NAME<br>(e.g. Roof-1)  | AREA                  | SOLAR                   | WEIGHT<br>FACTOR |   | Absorp  | HEAT GAIN                            | AREA<br>(Adianted) | U-<br>FACTOR          | Absorp    |                          |  |  |  |
| Roof-1  | 2000                  |                         | 0.84             | .037  | 87      | (B*CxD*ExF)<br>6813.97               | (Adjusted)<br>2000 | .057                  | 45        | 4858.06                  |  |  |  |

### Example 4: Insulation Added to non-CRRC Rated Roof to Gain Compliance

| OVERALL HEAT GAIN FROM | RADIATION |        |                 | OF     | PAQUES   | URFACES     |                                   |             |               |             |
|------------------------|-----------|--------|-----------------|--------|--|-------------|-----------------------------------|-------------|---------------|-------------|
| Α                      | В         | С      |                 |        | F  | G           | Н                                 |             |               | K           |
| -                      |           | L      | —( <b>P</b> rop | osed   | <del>)                                    </del> |             |                                   | <b>Stan</b> | dard          | )           |
| ASSEMBLY NAME          |           | SOLAR  | WEIGHT          | U.     | Absorp   | HEAT GAIN   | AREA                              | U-          | Absorp        | HEAT GAIN   |
| (e.g. Roof-1)          | AREA      | FACTOR | FACTOR          | FACTOR | α  | (BxCxDxExF) | (Adjusted)                        | FACTOR      | α             | (C×DxH×IxJ) |
| Roof-1                 | 2000      | 126    | 0.84            | .037   | .87  | 6813.97     | 2000                              | .057        | .45           | 4858.06     |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        | 4         |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        |           |        |                 |        |  |             |                                   |             |               |             |
|                        | 1         |        |                 |        |  |             |                                   |             |               |             |
|                        | _         |        |                 |        |  |             | <u> </u>                          |             |               |             |
|                        |           |        |                 |        |  |             | ubtotals are e<br>Subtotal" in CO |             |               | 4858.06     |
|                        |           |        |                 |        |  |             | f ENV-3-C, Pa                     |             | See 1931 1991 | SUBTOTAL    |

### Example 5: More Insulation Added to non-CRRC Rated Roof to Gain Compliance

| OVERALL E   | NVEL                     | OPE                     | MET         | )   | (Par        | t 5 of 7)               |                | ΕN                         | IV-3-C    |                          |  |  |
|---|--------------------------|-------------------------|-------------|---|-------------|-------------------------|----------------|----------------------------|-----------|--------------------------|--|--|
| PROJECT NAME  |                          |                         |             |   |             |                         |                | DATE                       |           |                          |  |  |
| ROOF ABSORPTANCE CAL  | CULATION                 | : Use this              | table to de | termine   | the val     | ue of the abs           | sorptance fo   | r the prop                 | osed de   | esign, α <sub>ρταρ</sub> |  |  |
| CHECK APPLICABLE BOXES  |                          |                         |             |   |             |                         |                |                            |           |                          |  |  |
| Case 1 - Proposed   |                          |                         |             | YEŞ   |             |                         |                |                            |           |                          |  |  |
| 1. CRRC-1 Certified?  |                          |                         |             | Got   | 0 2.        | G                       | io to 8.       |                            |           |                          |  |  |
| 2. Is the thermal emittance ≥   | 0.75?                    |                         |             | Got   | o 3.        | .   G                   | io to 5.       |                            |           |                          |  |  |
| <ol><li>Enter the initial reflectance</li></ol>                       | e ρ <sub>nic</sub> value | 9                       |             | PRiprop 1   | =           | Go to 4. Ir             | nsert value in | calculation                | n.        |                          |  |  |
| <ol> <li>Calculate α<sub>prop</sub> = 0.94-0.7<sub>β</sub></li> </ol> | PRiprop                  |                         |             | α <sub>prop</sub> =   |             | Enter calcu             | ulated value   | in Column I                | F below.  |                          |  |  |
| ase 2 - CRRC-1 Tested   |                          |                         |             |   |             |                         |                |                            |           |                          |  |  |
| 5.Enter initial reflectance & e                                       | emittance v              | values from             | CRRC-1      | ρ <sub>irit</sub> =   |             | Einit =                 |                | 3o to 6. Ins<br>alculation | ert value | es in                    |  |  |
| <ol> <li>Calculate ρ<sub>Ri,prop</sub> = -0.448</li> </ol>            | + 1.121 g                | nt + 0.524 ε            | nit         | PRi.prop <sup>□</sup>   |             | Go to 7. Ir             | nsert value in | calculation                | 1         |                          |  |  |
| <ol> <li>Calculate α<sub>pmp</sub> = 0.94-0.7;</li> </ol>             | Pittorap                 |                         |             | α <sub>prop</sub> =   |             | Enter calcu             | ulated value   | in Column I                | F below.  |                          |  |  |
| Case 3 - Not CRRC-1 Teste   | ed                       |                         |             | YES   |             | NO                      |                |                            |           |                          |  |  |
| <ol><li>Is the roof a nonresidentia</li></ol>                         | l low-slop               | ed? (2:12 o             | r less)     | X Got   | 09.         | G                       | io to 10.      |                            |           |                          |  |  |
| 9. Use the default values for   | absorptar                | 109, α <sub>prop</sub>  |             | α <sub>prop</sub> = 0.87 Enter default value in Column F below. |             |                         |                |                            |           |                          |  |  |
| 10. Use the default values for  | r absorpts               | ance, a <sub>prop</sub> |             | α <sub>prop</sub> = 0.73 Enter default value in Column F below. |             |                         |                |                            |           |                          |  |  |
| Standard absorptance valu   | iesα <sub>std.</sub> fo  | or Column               | J are eithe | er  |             |                         |                |                            |           |                          |  |  |
| For nonresidential low-slope  | d roofs                  |                         |             | α <sub>std</sub> = 0.45 Enter standard value in Column F below. |             |                         |                |                            |           |                          |  |  |
| or nonresidential high-slope  | ed roofs                 |                         |             | α <sub>skd</sub> = 0.73 Enter standard value in Column F below. |             |                         |                |                            |           |                          |  |  |
|   |                          |                         |             |   |             |                         |                |                            |           |                          |  |  |
|   |                          |                         |             |   |             |                         |                |                            |           |                          |  |  |
| OVERALL HEAT GAIN FROM  | RADIATION                | V                       |             | Á   | PAQUES      | URFACES                 |                |                            |           |                          |  |  |
| Α   | В                        | С                       | D           | E   | F           | G                       | н              | ı                          | J         | K                        |  |  |
| 40.051101.1/114755  |                          |                         |             | POSED   |             |                         |                |                            | TANDARD   |                          |  |  |
| ASSEMBLYNAME<br>(e.g. Roof-1)   | AREA                     | SOLAR                   | FACTOR      | U -<br>FACTOR   | Absorp<br>α | HEAT GAIN<br>(BxCxDxExF |                | d) FACTOR                  | Absorp    | (C×DxH×IxJ)              |  |  |
| Roof-1  | 2000                     |                         | 0.84        | 025   | 87          | 4604 04                 | 2000           |                            | 45        | 4858 06                  |  |  |

## Example 5: More insulation added to non-CRRC Rated Roof to Gain Compliance (cont'd)

| ALL HEAT GAIN FROM | RADIATION |        |        | OI       | PAQUE S | URFACES     |                                  |         |        |            |
|--------------------|-----------|--------|--------|----------|---------|-------------|----------------------------------|---------|--------|------------|
| Α                  | В         | С      | Pron   | osed     | F       | G           | н                                | Stan    | dard   | K          |
| ASSEMBLY NAME      |           | SOLAR  | WEIGHT | T U      | Absorp  | HEAT GAIN   | AREA                             | U-      | Absorp | HEAT GAIN  |
| (e.g. Roof-1)      | AREA      | FACTOR |        | FACTOR   | α       | (BxCxDxExF) | 11                               | FACTOR  | α      | (C×DxHx1xJ |
| Roof-1             | 2000      | 126    | 0.84   | .025     | .87     | 4604.04     | 2000                             | .057    | .45    | 4858.06    |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    | -         |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        |          |         |             |                                  |         |        |            |
|                    |           |        |        | <u> </u> |         |             | ubtotals are e                   |         |        | 4858.06    |
|                    |           |        |        |          |         | 7007.07     | Subtotal" in C4<br>f ENV-3-C, Pa | DLUMNST |        | SUBTOTA    |

#### Resources

- Title 24 Energy Hotline
  - 800-772-3300 (within CA)
  - 916-654-5106 (outside CA)
  - title24@energy.state.ca.us
- Title 24 Website
  - Title 24 Energy Standards and support documents www.energy.ca.gov/title24
- Energy Commission Cool Roof Website under construction
  - www.energy.ca.gov/title24/coolroofs/
- Blueprint, Energy Commission Newsletter on T24 Questions and Answers
  - www.energy.ca.gov/efficiency/blueprint

#### More Resources

- Free Title 24 Energy Information Videos
  - www.energyvideos.com
- Trade-off Calculator
  - www.asphaltroofing.org/title24\_reroof.html
- Cool Roof Rating Council
  - www.coolroofs.org; 866-465-252
- Calif. Assoc. of Building Energy Consultants
  - www.cabec.org; 866-360-4002
- Approved Title 24 Nonresidential Compliance Software
  - EnergyPro: www.energysoft.com
  - Perform 2005: call or email Title 24 Hotline

#### THANK YOU!!

QUESTIONS?